

AUG 19 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

KEVIN P. COWAN et. al.

Serial No.: 10/079,066

Filed: FEBRUARY 20, 2002

Art Unit: 3679

Examiner: DUNWOODY, AARON M.

Attorney Docket: VI/01-006

SYRINGES, CONNECTORS, AND
SYRINGE AND CONNECTOR
SYSTEMS FOR USE IN FLUID
DELIVERY SYSTEMSIndianola, Pennsylvania 15051
August 19, 2005Mail Stop AF
Commissioner for Patents
P. O. BOX 1450
Alexandria, VA 22313-1450

Sir:

CERTIFICATE OF FACSIMILE	
I hereby certify that this Response and the accompanying Petition for Extension are being transmitted by fax to the Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450	
(571) 273-8300	Fax number
Total Pages: 22	<i>Henry E. Bartony Jr.</i>
Henry E. Bartony, Jr. Registration No. 34,772	
August 19, 2005 Dated	

AMENDMENT UNDER 37 CFR 1.116

In response to the final Office Action dated May 19, 2005 in the above-referenced application, Applicants respectfully request that the Examiner enter the amendments set forth herein. The amendments find full support in the claims, specification and/or drawings as filed. The amendment place the claims in better form- for allowance or, in the alternative, in better form for appeal.

Amendments to the Claims are reflected in the listing of claims beginning on page 2 of this Amendment. Remarks begin upon page 18 of this Amendment.